SOURCE WATER PROTECTION:

Groundwater Sources

OBJECTIVES

The student will do the following:

- 1. Define a Wellhead Protection Program.
- 2. List 25 common groundwater pollutants.
- 3. List 25 potential sources of groundwater pollution.
- 4. Identify problems involved in starting a Wellhead Protection Program in a developed area.

SUBJECTS:

Social Studies (Economics, Government), Science (Physical, Ecology, Earth, Chemistry), Ethics

TIME:

1-2 class periods

MATERIALS:

copies of student sheets

BACKGROUND INFORMATION

It is important to be aware of the source of your drinking water. If the water is pumped from a well, the source is groundwater from an aquifer. Just like rivers and lakes, aquifers need to be protected from contamination. Chemicals spilled on or applied to the ground can move down and eventually contaminate an aquifer, sometimes making groundwater unsafe to drink. It is especially important to protect areas immediately around wells from releases of harmful chemicals, because it is from within these sensitive areas that chemicals can most quickly and profoundly affect the quality of water pumped from a well.

EPA's Source Water Protection (SWP) Program was established to help states and communities protect their drinking water supply sources. Wellhead Protection Programs may serve as Source Water Protection Programs for communities relying on groundwater as their source of drinking water. Wellhead protection is a 5-step process involving: (1) forming a community planning team; (2) delineating the area contributing groundwater to a water supply well; (3) identifying potential contaminant sources within the delineated area that pose threats to the well; (4) using a combination of management strategies to ensure that identified sources don't impact the well; and (5) developing a contingency plans in case there is a release of contaminants within the delineated area.

Wellhead protection management strategies incorporate broad concepts such as land use control and/or management, best management practices, and pollution prevention. Specific strategies may include the following: zoning controls, local ordinances governing pesticide/herbicide use,

enforcement of septic tank regulations, and community education. Homeowners, businesses, farmers, and industries may also be encouraged to use pollution prevention and best management practices to prevent contamination in the delineated areas. For example, waste oil collection centers may be set up in convenient locations so that oil can be brought in for proper disposal or recycling (rather than citizens dumping it illegally onto the ground).

The illustration in Figure 4 shows a wellhead protection area with the zone of influence (Zone I), a 10-year time-of-travel (Zone II), and the rest of the recharge area for the well (Zone III). Potential pollutants and potential pollutant sources are listed in Student Sheets, Figures 2 and 3 respectively. Various activities in the recharge area are illustrated in Figure 4.

Terms

Source Water Protection: process that involves delineating areas contributing water to a water well or surface water intake; identifying potential contaminant sources that may threaten the water supply; and using management strategies to protect the source water from contamination. Source water protection is applied to both surface water and groundwater supply sources.

time-of-travel: the time required for groundwater to move from a specific point beneath the surface to a well

Wellhead Protection Area: the surface and subsurface area surrounding a public water supply well through which contaminants are reasonably likely to move toward and reach such well

Wellhead Protection Program (WHPP): a groundwater-based source water protection program

zone of influence: area surrounding a pumping well within which the potentiometric surface has been changed due to groundwater withdrawal

zoning: to divide into areas determined by specific restrictions; any section or district in a city restricted by law for a particular use

ADVANCE PREPARATION

- A. Copy Student Sheets for each group or individual.
- B. Make overhead transparency of Student Sheets.

PROCEDURE

- I. Setting the stage
 - A. Discuss the concept of Wellhead Protection and go over terms.
 - B. Put up overhead transparencies of Figure 1 and Figure 4.
 - 1. Discuss land use zones and time-of-travel.
 - 2. Discuss groundwater pollutants and potential sources. (Students may wish to read over Student Sheets Figures 2 & 3.)
 - C. Break into study/discussion groups to complete activities.

II. Activity

- A. Assume you are a mayor considering a WHPP. List the considerations (pros and cons) of establishing such a program.
- B. If you are a farmer or businessperson in the same town, what concerns would you have if this program were instituted?
- C. As a citizen drinking the water produced by the well, what concerns would you have? What form would you prefer the WHPP take? Why?
- D. You are an employee of the state environmental agency and would like to see a WHPP put into place by all small towns. What position would you take relative to this town after learning the above positions?
- E. Is a WHPP a good groundwater protection approach? Why or why not?

III. Follow-up

- A. Each group should have a spokesperson report its conclusions to the class. Allow some discussion and debate over the "best" policies.
- B. Give quiz over groundwater pollutants and potential sources of pollution to groundwater.
- C. Have students write a short essay about what they think they could do to protect groundwater in the area.


IV. Extensions

- A. Students should find out if their state or city has a WHPP and what is or is not being done in its implementation.
- B. Locate a city well and visit it. Have students identify pollutants and potential pollution sources in the wellhead protection area.
- C. Learn about Environmental Ethics. Read "Jay's Situation" and "Ethics". Respond to the questions. Students should look for ethical, win-win compromise solutions.

RESOURCES

- Arms, Karen, Environmental Science, Holt, Rinehart, and Winston, Inc., Austin, TX, 1996.
- Case Studies in Wellhead Protection, EPA Office of Water, EPA 440-6-90-004, April 1990.
- Chiras, Daniel D., Environmental Science, High School Edition, Addison-Wesley, Menlo Park, CA, 1989.
- Cunningham, William P. and Barbara Woodworth Saigo, <u>Environmental Science: A Global Concern</u>, Wm. C. Brown Publishers, Dubuque, IA, 1997.
- Enger, Eldon D. and Bradley F. Smith, <u>Environmental Science: A Study of Interrelationships</u>, 5th Edition, Wm. C. Brown Publishers, Dubuque, IA, 1983.
- Nebel, Bernard J. and Richard T. Wright, <u>Environmental Science: The Way The World Works</u>, 4th Edition, Prentice-Hall, Englewood Cliffs, NJ, 1993.

DETERMINING A WELLHEAD AREA




COMMON GROUNDWATER POLLUTANTS FIGURE 2

1.	Antifreeze (for gasoline coolant system)	21.	Refrigerants
2.	Automatic transmission fluid	22.	Pesticides (insecticides,
3.	Engine and radiator flushes		herbicides, rodenticides)
4.	Hydraulic fluid (including brake fluid)	23.	Photochemicals/
5.	Motor oils/waste fuels/grease lubricants		Printing ink
6.	Gasoline, jet fuel	24.	Wood preservative (creosote)
7.	Diesel fuel, kerosene, #2 heating oil	25.	Swimming pool chlorine or bromine compounds
8.	Degreasers for driveways and garages	2 6.	Lye or caustic soda
9.	Battery acid (electrolyte)	27.	Jewelry cleaners
10.	Rust proofers	28.	Leather dyes
11.	Car wash detergents, waxes, and polishes	29.	Fertilizers (if stored outdoors)
12.	Asphalt and roofing tar	30.	PCBs
13.	Paints, lacquer thinners, and brush cleaners	31.	Other chlorinated hydrocarbons, including carbon
14.	Floor and furniture strippers		tetrachloride)
15.	Metal polishes	32.	Any other product with "Poison" labels (including
16.	Laundry soil and stain removers		chloroform, formaldehyde, hydrochloric acid,
	(including bleach)		and other acids)
17.	Spot removers, cleaning solvents	33.	Other products not listed that you feel may be toxic
18.	Disinfectants		or hazardous (please list):
19.	Household cleaners (oven, drain,		
	toilet)		
20.	Cesspool cleaners		
21.	Road salt (Halite)		

POTENTIAL SOURCES OF GROUNDWATER POLLUTION FIGURE 3

1.	Truck terminals and service stations	21.	Heat treaters, smelters,
2.	Petroleum pipelines, stores, and		annealers, descalers
	tank farms	22.	Wood preservers
3.	Auto repair, body shop, and auto supplies	23.	Chemical reclamation
4.	Rust proofers	24.	Industrial waste disposal
5.	Pesticide, herbicide wholesalers and	25.	Municipal and private waste retailers
6.	Dry cleaners		wastewater treatment plants, lagoons
7.	Painters, finishers, furniture strippers	2 6.	Landfills, dumps, and transfer stations
8.	Printers, photo processors	27.	Junk, salvage yards, recycle centers
9.	Auto washes, laundromats	28.	Subdivisions, individual
10.	Beauty salons		residences
11.	Medical, dental, and vet offices	29.	Heating oil storage (consumptive use)
12.	Food processors, meat packers, and	30.	Golf courses, parks, nurseries
	slaughter houses	31.	Sand, gravel, other mining
13.	Concrete, asphalt, tar, and coal companies	32.	Abandoned wells, existing wells,
14.	On-site sewage disposal		sinkholes
15.	Railroad yards, industrial sites	33.	Feed lots, manure piles
16.	Storm water impoundment	34.	Agricultural chemical storage,
17.	Cemeteries		handling, spreading, spraying
18.	Airport maintenance, fueling	35.	Construction sites
19.	Machine shops	36.	Transportation corridors
20.	Metal platers	37.	Fertilized fields, agricultural area

WELLHEAD PROTECTION



JAY'S SITUATION

Jay Barlow is sitting with his elbows on his desk. His face is pressed into his hands. He feels a small hand pull his hand away from his face. "Daddy?" Jay looks down into his daughter's sparkling brown eyes. He is still her hero, and that trusting smile just increases the pressure he already felt.

Last week Jay was on top of the world. He was hired onto an environmental project as a consultant. The state of Florida had finally passed a regulation that would require a zone of protection around wellheads. The state's minimum requirement is a 500-ft. radius around the well. The suburb he lives in has adopted more stringent measures. He was given a map showing several public wells from which drinking water is pumped. His task is to recommend a viable zone of protection and report any potential contamination hazards.

Interestingly, the very area in which he lives is included on the map. He is familiar with a large land development that has been in construction for two years. His neighbor has told him many details as he is the construction foreman. The massive construction effort has provided 200 jobs. Jay decides to meet with a company representative. They discuss the scope of the project. To his dismay, he discovers that the final two years of the company's project involve developing land directly over the aquifer within the state's minimum protection zone from the well.

The land developers purchased the land at high cost before the state laws were passed. The company has invested millions in pre-development and will not respond positively to any attempt to block the contract. They have plenty of resources to fight a legal battle against the state.

Jay's uncle calls him for advice on a leaking UST (underground storage tank). He thought to call Jay because Jay knows about environmental issues. His uncle cannot afford to have the tank dug up and replaced; it would bankrupt his small business. Jay has no idea what to tell his uncle except that the leaking gasoline is a serious threat to groundwater. Jay's uncle laments that he has owned the station for 30 years and would have no income without it. As if Jay didn't have enough to think about, he realizes that his uncle's gas station is also located above the aquifer.

1.	What do you think is Jay's primary responsibility as an environmental professional?
2.	Does Jay have a responsibility to his uncle?
3.	Are the construction workers Jay's problem?
4.	Should he be worrying about the drinking water in his own region?
5.	Should the above concerns affect Jay's recommendations to the state about the wellhead protection for that particular aquifer? If so, in what way?

ETHICS

As part of this lesson, the instructor may wish to include a brief discussion on ethics. The environmental industry is dependent on ethical decision making. For an intensive treatment of this issue, Michael Josephson's *Making Ethical Decisions* (1993) is perfect. In *Making Ethical Decisions*, Josephson describes "The Six Pillars of Character: (1) Trustworthiness, (2) Respect, (3) Responsibility, (4) Justice and Fairness, (5) Caring, (6) Civic Virtue and Citizenship."

Most students of this age will be surprised to learn that acting with "Caring" (being sensitive to human suffering such as job loss and family distress) is an integral part of the decision-making process at the professional level. The teacher will most likely find that the majority of the class will choose extreme action in one direction or the other. The middle road seems a taboo place to choose; yet, in reality, it is often the only reasonable one. With the added responsibility of ethics, students will find achieving that "balance" between the economy and environment a less bitter pill to swallow.

It may be most effective for the ethics treatment to follow the exercise. Since the "balance" method gives them a standard to shoot for, students should then have the opportunity to reconsider their answers.

Here is a closure to share with students after they have completed the activity.

Reality will be frustrating for the generation who has grown up learning to accept environmental responsibility. The following recount is simplified, but factual, and is a real life example of the middle road. It should not be discouraging but enlightening. Sometimes when it is impossible to kill the dragon, be satisfied with knocking a chink out of its armor.... progress is progress!

¹ Josephson, Michael, "Making Ethical Decisions in Environmental Practice," Environmental Manager, Vol. 1, July 1993.

CONCLUSION

There are many different options that Jay might choose. He always has the option of consulting with other professionals if he has run into an ethical snag. Generally, they will be objective and a good source for ideas.

In dealing with land development, companies have to comply with many regulations today and often have a representative or department that handles that aspect. Jay may opt to call a meeting with this individual or group of individuals and call attention to the aquifer's vulnerability. Accomplished in a non-accusing diplomatic way, he may be able to convince the developers to choose double-walled, lined, or anodized septic tanks in order to head off future liability. While the threat to the aquifer is still apparent, it can be greatly reduced. The state may even be able to buy back a portion of the land. However, it is doubtful that the company would relent their construction. In fact, Jay may have to recommend a compromise or advise the department that they will probably be sued.

Jay's uncle may have some help in dealing with his gasoline leaks. If he is in compliance with other state and federal regulations for underground storage tanks, he may be eligible to receive assistance from Florida's leaking UST trust fund. Available in most states, these funds allow small business owners of USTs to receive assistance in cleaning up leaks. The money for these funds usually comes from a tax on gasoline. The sites chosen to receive cleanup funds are based upon how large the risk is to human health or the environment. Since Jay's uncle's tank is located in an area above a drinking water aquifer, there is a good chance that his cleanup will be funded.

In Florida, as previously discussed, there is a tremendous need for wellhead protection. In 1980, the Florida Department of Environmental Protection (FDEP) began fighting for wellhead protection. FDEP was promptly sued by large industrial corporations that had almost unlimited legal resources. The suit was in court for almost 15 years. FDEP was forced to accept a compromise, a middle-of-the-road decision, by the judge. They achieved the stipulation of a circular buffer zone 500 feet in diameter

Of course, this circular zone has no basis either geologically or hydrologically. Most aquifers are oddly shaped and miles in length or width. FDEP officials wanted to model individual aquifers and tailor the needed buffer zones. What good does it do to have a 500-foot circle of protective zone and a five-mile long cigar-shaped aquifer? It seems nonsensical, but the FDEP rejoiced. They now have buffer zones. Before May 1994, they had none. Perhaps they should have agreed to a compromise years earlier and started gathering data for the next fight.

Even state environmental agencies understand that they cannot unduly restrict the state's or nation's economy. An unhealthy economy often creates an inadequate tax base, which can ultimately result in underfunded state agencies.